

Fungal Diversity and the Occurrence of Antagonistic Fungi in Organic and Conventional Farming Systems in Oman	العنوان:
Kazerooni, Elham Ghasemi	المؤلف الرئيسي:
Al Sadi, Abdullah Mohammed, Rethinasamy, Velazhahan(Advisor)	مؤلفين آخرين:
2017	التاريخ الميلادي:
مسقط	موقع:
1 - 121	الصفحات:
948468	رقم MD:
رسائل جامعية	نوع المحتوى:
English	اللغة:
رسالة دكتوراه	الدرجة العلمية:
جامعة السلطان قابوس	الجامعة:
كلية العلوم الزراعية والبحرية	الكلية:
عمان	الدولة:
Dissertations	قواعد المعلومات:
التنوع الفطري، المحاصيل الزراعية، الزراعة العضوية، الزراعة التقليدية، سلطنة عمان، المكافحة الحيوية، النظم الزراعية	مواضيع:
<a href="http://search.mandumah.com/Record/948468">http://search.mandumah.com/Record/948468</a>	رابط:

لإستشهاد بهذا البحث قم بنسخ البيانات التالية حسب إسلوب الإستشهاد المطلوب:

إسلوب APA

Fungal Diversity and the Occurrence Kazerooni, E. G., Al Sadi, A. M., و Rethinasamy, V. (2017).  
of Antagonistic Fungi in Organic and Conventional Farming Systems in Oman  
(رسالة دكتوراه غير منشورة). جامعة السلطان قابوس، مسقط. مسترجع من  
<http://search.mandumah.com/Record/948468>

إسلوب MLA

Kazerooni, Elham Ghasemi, Abdullah Mohammed Al Sadi, و Velazhahan Rethinasamy. "Fungal  
Diversity and the Occurrence of Antagonistic Fungi in Organic and Conventional Farming Systems  
in Oman" رسالة دكتوراه جامعة .دكتوراه رسالة  
<http://search.mandumah.com/Record/948468>

## 7. References

- Abdel-Mallek, A.Y., A.M. Moharram, M.I.A. Abdel-Kader and S.A. Omar, 1994. Effect of soil treatment with the organophosphorus insecticide Profenfos on the fungal flora and some microbial activities. *Microbiological Research*, 149: 167-171.
- Abdelzaher, H.M.A., M.A. Elnaghy and E.M. Fadl-Allah, 1997. Isolation of *Pythium oligandrum* from Egyptian soil and its mycoparasitic effect on *Pythium ultimum* var. *ultimum* the damping-off organism of wheat. *Mycopathologia*, 139: 97-106.
- Abdelzaher, H.M.A., Y.A.M.H. Gherbawy and M.A. Elnaghy, 2000. Damping-off disease of maize caused by *Pythium deliense* meurs in El-Minia, Egypt and its possible control by some antagonistic soil fungi. *Egyptian Journal of Microbiology*, 35: 21-45.
- Abed, R.M.M., A.M. Al-Sadi, M. Al-Shehi ,S. Al-Hinai and M.D. Robinson, 2013. Diversity of free-living and lichenized fungal communities in biological soil crusts of the Sultanate of Oman and their role in improving soil properties. *Soil Biology and Biochemistry*, 57: 695-705.
- Acosta-Martínez, V ,J. Cotton, T. Gardner, J. Moore-Kucera, J. Zak, D. Wester and S. Cox, 2014. Predominant bacterial and fungal assemblages in agricultural soils during a record drought/heat wave and linkages to enzyme activities of biogeochemical cycling. *Applied Soil Ecology*, 84: 69-82.
- Abol-Wafa, M.T., Kamara, A.M., Tarabieh, A.M., and Farag, S.A. (1976). Damping-off of cucurbitaceous plants and its control. *Egyptian Journal of Phytopathology* 8, 37-45.

Agrios, G.N. (2005). *Plant Pathology*. San Diego: Academic Press.

Aït Hamza, M., Lakhtar, H., Tazi, H., Moukhli, A., Fossati-Gaschignard, O., Miché, L., Roussos, S., Ferji, Z., El Mousadik, A., Mateille, T., and Boubaker, H. (2017). Diversity of nematophagous fungi in Moroccan olive nurseries: Highlighting prey-predator interactions and efficient strains against root-knot nematodes. *Biological Control* 114, 14-23.

Al-Adawi, A.O., Deadman, M.L., Al-Rawahi, A.K., Al-Maqbali, Y.M., Al-Jahwari, A.A., Al-Saadi, B.A., Al-Amri, I.S., and Wingfield, M.J. (2006). Aetiology and causal agents of mango sudden decline disease in the Sultanate of Oman. *European Journal of Plant Pathology* 116, 247-254.

Al-Azizi, A., Al-Sadi, A.M., Dietz, H., Al-Said, F.A., and Deadman, M.L. (2013). Influence of carbon/nitrogen ratio on *Pythium aphanidermatum* and on *Pythium*-induced damping-off of radish. *Journal of Plant Pathology* 95, 181-185.

Al-Balushi, I., Bani-Uraba, M., Guizani, N., Al-Khusaibi, M., and Al-Sadi, A.M. (2017). Illumina MiSeq sequencing analysis of fungal diversity in stored dates. *BMC Microbiology* 17, 72.

Al-Hinai, A.H., Al-Sadi, A.M., Al-Bahry, S.N., Mothershaw, A.S., Al-Said, F.A., Al-Harthi, S.A., and Deadman, M.L. (2010). Isolation and characterization of *Pseudomonas aeruginosa* with antagonistic activity against *Pythium aphanidermatum*. *Journal of Plant Pathology* 92, 653-660.

Al-Kiyumi, K.S. (2006). *Greenhouse cucumber production systems in Oman: A study on the effect of cultivation practices on crop diseases and crop yields*. University of Reading.

- Al-Mawaali, Q.S., Al-Sadi, A.M., Khan, A.J., Al-Hasani, H.D., and Deadman, M.L. (2012). Response of cucurbit rootstocks to *Pythium aphanidermatum*. *Crop Protection* 42, 64-68.
- Al-Mazroui, S.S., and Al-Sadi, A.M. (2015). Highly variable fungal diversity and the potential occurrence of plant pathogenic fungi in potting media, organic fertilizers and composts originating from 14 countries. *Journal of Plant Pathology* 97, 529-534.
- Al-Mazroui, S.S., and Al-Sadi, A.M. (2016). 454 pyrosequencing and direct plating reveal high fungal diversity and dominance by saprophytic species in organic compost. *International Journal of Agriculture and Biology* 18, 98-102.
- Al-Rawahi, A.K., and Hancock, J.G. (1998). Parasitism and biological control of *Verticillium dahliae* by *Pythium oligandrum*. *Plant Disease* 82, 1100-1106.
- Al-Sa'di, A.M., Drenth, A., Deadman, M.L., Al-Said, F.A., Khan, I., and Aitken, E.A.B. (2008). Potential sources of *Pythium* inoculum into greenhouse soils with no previous history of cultivation. *Journal of Phytopathology* 156, 502-505.
- Al-Sa'di, A.M., Drenth, A., Deadman, M.L., De Cock, A.W.A.M., and Aitken, E.A.B. (2007). Molecular characterization and pathogenicity of *Pythium* species associated with damping-off in greenhouse cucumber (*Cucumis sativus*) in Oman. *Plant Pathology* 56, 140-149.
- Al-Sadi, A.M. (2012). Efficacy of mefenoxam is affected by a lag period between application and inactivation of *Pythium* species. *Phytopathologia Mediterranea* 51, 292-297.

- Al-Sadi, A.M., Al-Ghaithi, A.G., Al-Balushi, Z.M., and Al-Jabri, A.H. (2012a). Analysis of diversity in *Pythium aphanidermatum* populations from a single greenhouse reveals phenotypic and genotypic changes over 2006 to 2011. *Plant Disease* 96, 852-858.
- Al-Sadi, A.M., Al-Ghaithi, A.G., Al-Fahdi, N., and Al-Yahyai, R. (2014). Characterization and pathogenicity of fungal pathogens associated with root diseases of citrus in Oman. *International Journal of Agriculture and Biology* 16, 371-376.
- Al-Sadi, A.M., Al-Habsi, N., Al-Kiyumi, K., Al-Said, F.A., Al-Rawahy, S.A., Ahmed, M., and Deadman, M.L. (2010). "Effect of salinity on growth, reproduction and pectolytic enzyme production by *Pythium aphanidermatum*: a serious soil borne pathogen of vegetable crops in Oman," in *A Monograph on Management of Salt-Affected Soils and Water for Sustainable Agriculture*, eds. M. Ahmed, S.A. Al-Rawahy & N. Hussain. (Muscat, Oman: SQU), 95-98.
- Al-Sadi, A.M., Al-Jabri, A.H., Al-Mazroui, S.S., and Al-Mahmooli, I.H. (2012b). Characterization and pathogenicity of fungi and oomycetes associated with root diseases of date palms in Oman. *Crop Protection* 37, 1-6.
- Al-Sadi, A.M., Al-Masoodi, R.S., Al-Ismaili, M., and Al-Mahmooli, I.H. (2015a). Population structure and development of resistance to hymexazol among *Fusarium solani* populations from date palm, citrus and cucumber. *Journal of Phytopathology* 163, 947-955.
- Al-Sadi, A.M., Al-Mazroui, S.S., and Phillips, A.J.L. (2015b). Evaluation of culture-based techniques and 454 pyrosequencing for the analysis of fungal diversity in potting media and organic fertilizers. *Journal of Applied Microbiology* 119, 500-509.

- Al-Sadi, A.M., Al-Oweisi, F.A., Edwards, S.G., Al-Nadabi, H., and Al-Fahdi, A.M. (2015c). Genetic analysis reveals diversity and genetic relationship among *Trichoderma* isolates from potting media, cultivated soil and uncultivated soil. *BMC Microbiology* 15, 147.
- Al-Sadi, A.M., Al-Said, F.A., Al-Jabri, A.H., Al-Mahmooli, I.H., Al-Hinai, A.H., and de Cock, A.W.A.M. (2011a). Occurrence and characterization of fungi and oomycetes transmitted via potting mixtures and organic manures. *Crop Protection* 30, 38-44.
- Al-Sadi, A.M., Al-Said, F.A., Al-Kaabi, S.M., Al-Quraini, S.M., Al-Mazroui, S.S., Al-Mahmooli, I.H., and Deadman, M.L. (2011b). Occurrence, characterization and management of fruit rot of immature cucumbers under greenhouse conditions in Oman. *Phytopathologia Mediterranea* 50, 421-429.
- Al-Sadi, A.M., Al-Said, F.A., Al-Kiyumi, K.S., Al-Mahrouqi, R.S., Al-Mahmooli, I.H., and Deadman, M.L. (2011c). Etiology and characterization of cucumber vine decline in Oman. *Crop Protection* 30, 192-197.
- Al-Sadi, A.M., AL-Wehaibi, A.N., Al-Shariqi, R.M., Al-Hammadi, M.S., Al-Hosni, I.A., Al-Mahmooli, I.H., and Al-Ghaithi, A.G. (2013). Population genetic analysis reveals diversity in *Lasioidiplodia* species infecting date palm, Citrus, and mango in Oman and the UAE. *Plant Disease* 97, 1363-1369.
- Al-Samarria, F.H., El-Bahadli, A.H., and Al-Rawi, F.A. (1988). Comparison between effects of soil disinfestation methods on some pathogens of cucumber. *Arab Journal of Plant Protection* 6, 106-112.
- Al-Shihi, A.A., Al-Sadi, A.M., Al-Said, F.A., Ammara, U.E., and Deadman, M.L. (2016). Optimising the duration of floating row cover period to minimise the

incidence of tomato yellow leaf curl disease and maximise yield of tomato. *Annals of Applied Biology* 168, 328-336.

Al-Shihi, A.A.M., Khan, A.J., Akhtar, S., Lima, A.T.M., Zerbini, F.M., and Briddon, R.W. (2014). Occurrence of a new recombinant begomovirus species infecting tomato in the Al-Batinah region of Oman. *Plant Pathology* 63, 1177-1184.

Al-Shorbaji, F., Roche, B., Britton, R., Andreou, D., and Gozlan, R. (2017). Influence of predation on community resilience to disease. *Journal of Animal Ecology* 86, 1147-1158.

Al-Yahyai, R., and Khan, M.M. (2015). Date palm status and perspective in oman. in *Date Palm Genetic Resources and Utilization: Volume 2: Asia and Europe*, 207-240.

Al-Zidjali, T.M . (1995). Oman: country report to the FAO international technical conference on plant genetic resources.

Alaniz Zanon, M.S., Barros, G.G., and Chulze, S.N. (2016). Non-aflatoxigenic *Aspergillus flavus* as potential biocontrol agents to reduce aflatoxin contamination in peanuts harvested in Northern Argentina. *International Journal of Food Microbiology* 231, 63-68.

Alvarenga, S.A.V., Ferreira, M.J.P., Rodrigues, G.V., and Emerenciano, V.P. (2005). A general survey and some taxonomic implications of diterpenes in the Asteraceae. *Botanical Journal of the Linnean Society* 147, 291-308.

Ammara, U.E., Mansoor, S., Saeed, M., Amin, I., Briddon, R.W., and Al-Sadi, A.M. (2015). RNA interference-based resistance in transgenic tomato plants against *Tomato yellow leaf curl virus*-Oman (TYLCV-OM) and its associated betasatellite. *Virology Journal* 12, 38.



- Antonious, G.F. (2003). Impact of soil management and two botanical insecticides on urease and invertase activity. *Journal of Environmental Science and Health - Part B Pesticides, Food Contaminants, and Agricultural Wastes* 38, 479-488.
- Araújo, A.S.F., Monteiro, R.T.R., and Abarkeli, R.B. (2003). Effect of glyphosate on the microbial activity of two Brazilian soils. *Chemosphere* 52, 799-804.
- Araújo, W.L., Marcon, J., Maccheroni Jr, W., Van Elsas, J.D., Van Vuurde, J.W.L., and Azevedo, J.L. (2002). Diversity of endophytic bacterial populations and their interaction with *Xylella fastidiosa* in citrus plants. *Applied and Environmental Microbiology* 68, 4906-4914.
- Arroyave-Toro, J.J., Mosquera, S., and Villegas-Escobar, V. (2017). Biocontrol activity of *Bacillus subtilis* EA-CB0015 cells and lipopeptides against postharvest fungal pathogens. *Biological Control* 114, 195-200.
- Ayala, F.J. (2000). Neutralism and selectionism: The molecular clock. *Gene* 261, 27-33.
- Baaren, P.v., Belkum, A.v., Summerbell, R.C., Crous, P.W., and Thomma, B.P.H.J. (2006). Molecular mechanisms of pathogenicity: how do pathogenic microorganisms develop cross-kingdom host jumps? *FEMS Microbiol Review* 31, 239-277.
- Bagyaraj, D.J. (2014). Mycorrhizal Fungi. *Proceedings of the Indian National Science Academy* 2, 415-428.
- Barak, P., Jobe, B.O., Krueger, A.R., Peterson, L.A., and Laird, D.A. (1997). Effects of long-term soil acidification due to nitrogen fertilizer inputs in Wisconsin. *Plant and Soil* 197, 61-69.

- Barea, J.M., Palenzuela, J., Cornejo, P., Sánchez-Castro, I., Navarro-Fernández, C., López-García, A., Estrada, B., Azcón, R., Ferrol, N., and Azcón-Aguilar, C. (2011). Ecological and functional roles of mycorrhizas in semi-arid ecosystems of Southeast Spain. *Journal of Arid Environments* 75, 1292-1301.
- Benhamou, N., and Bélanger, R.R. (1998). Induction of systemic resistance to *Pythium* damping-off in cucumber plants by benzothiadiazole: ultrastructure and cytochemistry of the host response. *Plant Journal* 14, 13-21.
- Benhamou, N., Garand, C., and Goulet, A. (2002). Ability of nonpathogenic *Fusarium oxysporum* strain Fo47 to induce resistance against *Pythium ultimum* infection in cucumber. *Applied and Environmental Microbiology* 68, 4044-4060.
- Benítez, T., Rincón, A.M., Limón, M.C., and Codón, A.C. (2004). Biocontrol mechanisms of *Trichoderma* strains. *International Microbiology* 7, 249-260.
- Bernard, E., Larkin, R.P., Tavantzis, S., Erich, M.S., Alyokhin, A., and Gross, S.D. (2014). Rapeseed rotation, compost and biocontrol amendments reduce soilborne diseases and increase tuber yield in organic and conventional potato production systems. *Plant and Soil* 374, 611-627.
- Bhardwaj, D., Ansari, M.W., Sahoo, R.K., and Tuteja, N. (2014). Biofertilizers function as key player in sustainable agriculture by improving soil fertility, plant tolerance and crop productivity. *Microbial Cell Factories* 13, 66.
- Bisen, K., Keswani, C., Patel, J.S., Sarma, B.K., and Singh, H.B. (2016). *Trichoderma* spp.: Efficient inducers of systemic resistance in plants. In, Microbial-Mediated Induced Systemic Resistance in Plants. pp. 185-195.

- Bjornson, S., and Oi, D. (2014). *Microsporidia* biological control agents and pathogens of beneficial insects. In: Weiss, L.M. and J.J. Becnel (eds), *Microsporidia: Pathogens of Opportunity*. John Wiley & Sons, Inc.
- Blackwell, M. (2011). The fungi: 1, 2, 3 ... 5.1 million species? *American Journal of Botany* 98, 426-438.
- Blaya, J., López-Mondéjar, R., Lloret, E., Pascual, J.A., and Ros, M. (2013). Changes induced by *Trichoderma harzianum* in suppressive compost controlling Fusarium wilt *Pesticide Biochemistry and Physiology* 107, 112-119.
- Booth, K., and Tranter, B. (2015). Skepticism in a Changing Climate: A Cross-National Study. *Global Environmental Change* 33, 154-164.
- Bosch, R.v.d., Gutierrez, A.P., and Messenger, P.S. (2013). *An Introduction to Biological Control*. Springer Science & Business Media.
- Brasier, C.M. (1990). China and the origins of Dutch elm disease: an appraisal. *Plant Pathology* 39, 5-16.
- Capasso, R., Evidente, A., Cutignano, A., Vurro, M., Zonno, M.C., and Bottalico, A. (1996). Fusaric and dehydrofusaric acids and their methyl esters from *Fusarium nygamai*. *Phytochemistry* 41, 1035–1039.
- Carbone, I., and Kohn, L.M. (1999). A method for designing primer sets for speciation studies in filamentous ascomycetes. *Mycologia* 91, 553-556.
- Casadevall, A., and Pirofski, L.A. (1999). Host-pathogen interactions: Redefining the basic concepts of virulence and pathogenicity. *Infection and Immunity* 67, 3703-3713.

- Cavagnaro, T.R. (2014). Impacts of compost application on the formation and functioning of arbuscular mycorrhizas *Soil Biology and Biochemistry* 78, 38-44.
- Cesco, S., Mimmo, T., Tonon, G., Tomasi, N., Pinton, R., Terzano, R., Neumann, G., Weisskopf, L., Renella, G., Landi, L., and Nannipieri, P. (2012). Plant-borne flavonoids released into the rhizosphere: Impact on soil bio-activities related to plant nutrition. A review. *Biology and Fertility of Soils* 48, 123-149.
- Chandna, P., Gupta, S., Rajam, M.V., and Kuhad, R.C. (2014). Molecular identification and in vitro screening of antagonistic bacteria from agricultural byproduct compost: Effect of compost on development and photosynthetic efficiency of tomato plant. *Annals of Microbiology* 64, 571-580.
- Chen, Y.L., Xu, T.L., Veresoglou, S.D., Hu, H.W., Hao, Z.P., Hu, Y.J., Liu, L., Deng, Y., Rillig, M.C., and Chen, B.D. (2017). Plant diversity represents the prevalent determinant of soil fungal community structure across temperate grasslands in northern China. *Soil Biology and Biochemistry* 110, 12-21.
- Chérif, M., Asselin, A., and Bélanger, R.R. (1994). Defense responses induced by soluble silicon in cucumber roots infected by *Pythium* spp. *Phytopathology* 84, 236-242.
- Chérif, M., Benhamou, N., Menzies, J.G., and Bélanger, R.R. (1992). Silicon induced resistance in cucumber plants against *Pythium ultimum*. *Physiological and Molecular Plant Pathology* 41, 411-425.
- Cherubin, M.R., Franco, A.L.C., Cerri, C.E.P., Oliveira, D.M.S., Davies, C.A., and Cerri, C.C. (2015). Sugarcane expansion in Brazilian tropical soils-Effects of

land use change on soil chemical attributes. *Agriculture, Ecosystems and Environment* 211, 173-184.

Chhabra, S., and Dowling, D.N. (2017). Endophyte-promoted nutrient acquisition: Phosphorus and iron. in *Functional Importance of the Plant Microbiome: Implications for Agriculture, Forestry and Bioenergy*, 21-42.

Chitrampalam, P., Turini, T.A., Matheron, M.E., and Pryor, B.M. (2010). Effect of sclerotium density and irrigation on disease incidence and on efficacy of *Coniothyrium minitans* in suppressing lettuce drop caused by *Sclerotinia sclerotiorum*. *Plant Disease* 94, 1118-1124.

Chitrampalam, P., Wu, B.M., Koike, S.T., and Subbarao, K.V. (2011). Interactions between *Coniothyrium minitans* and *Sclerotinia minor* affect biocontrol efficacy of C. minitans. *Phytopathology* 101, 358-366.

Clarkson, J.P., Mead, A., Payne, T., and Whipps, J.M. (2004). Effect of environmental factors and *Sclerotium cepivorum* isolate on sclerotial degradation and biological control of white rot by Trichoderma. *Plant Pathology* 53, 353-362.

Classen, A.T., Sundqvist, M.K., Henning, J.A., Newman, G.S., Moore, J.A.M., Cregger, M.A., Moorhead, L.C., and Patterson, C.M. (2015). Direct and indirect effects of climate change on soil microbial and soil microbial-plant interactions: What lies ahead? *Ecosphere* 6, 130.

Colas, F., Baudoin, J.M., Chauvet, E., Clivot, H., Danger, M., Guérol, F., and Devin, S. (2016). Dam-associated multiple-stressor impacts on fungal biomass and richness reveal the initial signs of ecosystem functioning impairment. *Ecological Indicators* 60, 1077-1090.

- Coleman-Derr, D., Desgarennnes, D., Fonseca-Garcia, C., Gross, S., Clingenpeel, S., Woyke, T., North, G., Visel, A., Partida-Martinez, L.P., and Tringe, S.G. (2016). Plant compartment and biogeography affect microbiome composition in cultivated and native Agave species. *New Phytologist* 209, 798-811.
- Collazo, C., Abadias, M., Aguiló-Aguayo, I., Alegre, I., Chenoll, E., and Viñas, I. (2017). Studies on the biocontrol mechanisms of *Pseudomonas graminis* strain CPA-7 against food-borne pathogens in vitro and on fresh-cut melon. *LWT - Food Science and Technology* 85, 301-308.
- Costa, O.Y.A., Souto, B.M., Tupinambá, D.D., Bergmann, J.C., Kyaw, C.M., Kruger, R.H., Barreto, C.C., and Quirino, B.F. (2015). Microbial diversity in sugarcane ethanol production in a Brazilian distillery using a culture-independent method. *Journal of Industrial Microbiology and Biotechnology* 42, 73-84.
- Culebro-Ricaldi, J.M., Ruíz-Valdiviezo, V.M., Rodríguez-Mendiola, M.A., Ávila-Miranda, M.E., Gutiérrez-Miceli, F.A., Cruz-Rodríguez, R.I., Dendooven, L., and Montes-Molina, J.A. (2017). Antifungal properties of *Beauveria bassiana* strains against *Fusarium oxysporum* f. Sp. *Lycopersici* race 3 in tomato crop. *Journal of Environmental Biology* 38, 821-827.
- da Silva, J.A.T., de Medeiros, E.V., da Silva, J.M., Tenório, D.A., Moreira, K.A., da Silva Nascimento, T.C.E., and Souza-Motta, C. (2017). Antagonistic activity of *Trichoderma* spp. against *Scytalidium lignicola* CMM 1098 and antioxidant enzymatic activity in cassava. *Phytoparasitica* 45, 219-225.
- da Silva, J.A.T., de Medeiros, E.V., da Silva, J.M., Tenório, D.D.A., Moreira, K.A., Nascimento, T.C.E.D.S., and Souza-Motta, C. (2016). *Trichoderma aureoviride* URM 5158 and *Trichoderma hamatum* URM 6656 are biocontrol agents that act against cassava root rot through different Mechanisms. *Journal of Phytopathology* 164, 1003-1011.

- Das, A.C., and Mukherjee, D. (2000). Soil application of insecticides influences microorganisms and plant nutrients. *Applied Soil Ecology* 14, 55-62.
- Davanlou, M., Madsen, A.M., Madsen, C.H., and Hockenhull, J. (1999). Parasitism of macroconidia, chlamydospores and hyphae of *Fusarium culmorum* by mycoparasitic *Pythium* species. *Plant Pathology* 48, 352-359.
- Davis, R.M., and Nunez, J.J. (1999). Influence of crop rotation on the incidence of *Pythium*- and *Rhizoctonia*-induced carrot root dieback. *Plant Disease* 83, 146-148.
- De Gannes ,V., Eudoxie, G., and Hickey, W.J. (2013). Insights into fungal communities in composts revealed by 454-pyrosequencing: Implications for human health and safety. *Frontiers in Microbiology* 4, 164.
- Deadman, M., Al Maqbali, Y., Al Sa'di, A., Al Hasani, H ,and Al Nabhani, M. (2007). "Biofumigation for the management of damping-off in greenhouse cucumbers in the sultanate of Oman", in: *Acta Horticulturae* 731: 367-370.
- Deadman, M.L., Al-Sa'di, A.M., Al-Mahmuli, I., Al-Maqbali, Y.M., Al-Subhi, R., Al-Kiyoomi, K., Al-Hasani, H., and Thacker, J.R.M. (2002). Management of *Pythium aphanidermatum* in greenhouse cucumber production in the Sultanate of Oman. In, The BCPC Conference: Pests and diseases. Brighton, UK, pp. 171-176.
- Deadman, M.L., Al Sadi, A.M., Al Said, F.A., and Al Maawali, Q (2010) .The use of cucurbit hybrid rootstocks in the management of *Pythium*-induced damping-off of cucumber seedlings. *Acta Horticulturae* 871, 483-490.

- Deadman, M.L., Perret, J., Al-Kiyoomi, K., Al-Hasani, H., Al-Maqbali, Y., and Al-Sa'di, A.M. (2007). Epidemiology of damping-off disease in greenhouse cucumber crops in the Sultanate of Oman. *Acta Horticulturae* 731: 319-326.
- DeAngelis, K.M., Pold, G., Topçuoglu, B.D., van Diepen, L.T.A., Varney, R.M., Blanchard, J.L., Melillo, J., and Frey, S.D. (2015). Long-term forest soil warming alters microbial communities in temperate forest soils. *Frontiers in Microbiology* 6, 104.
- DeLonge, M.S., Miles, A., and Carlisle, L. (2016). Investing in the transition to sustainable agriculture. *Environmental Science and Policy* 55, 266-273.
- Demanou, J., Monkiéjé, A., Njin, T., Foto, S.M., Nola, M., Togouet, S.H., and Kemka, N. (2004). Changes in soil chemical properties and microbial activities in response to the fungicide Ridomil Gold plus copper. *International Journal of Environmental Research and Public Health* 1, 26-34.
- Dias, A.C.F., Taketani, R.G., Andreote, F.D., Luvizotto, D.M., da Silva, J.L., Nascimento, R.S., and de Melo, I.S. (2012). Interspecific variation of the bacterial community structure in the phyllosphere of the three major plant components of mangrove forests. *Brazilian Journal of Microbiology* 43, 653-660.
- Dombrovsky, A., Tran-Nguyen, L.T.T., and Jones, R.A.C. (2017). Cucumber green mottle mosaic virus: Rapidly Increasing Global Distribution, Etiology, Epidemiology, and Management. *Annual Review of Phytopathology* 55, 231-256.
- Edgar, R.C. (2010). Search and clustering orders of magnitude faster than BLAST. *Bioinformatics* 26, 2460-2461.



Edgar, R.C. (2013). UPARSE: highly accurate OTU sequences from microbial amplicon reads. *Nature Methods* 10, 996-998.

Edgar, R.C., Haas, B.J., Clemente, J.C., Quince, C., and Knight, R. (2011). UCHIME improves sensitivity and speed of chimera detection. *Oxford Journal of Bioinformatics* 27, 2194-2200.

El-Ramady, H.R., Alshaal, T.A., Shehata, S.A., Domokos-Szabolcsy, É., Elhawat, N., Prokisch, J., Fári, M., and Marton, L. (2014). Plant Nutrition: From Liquid Medium to Micro-farm. *Sustainable Agriculture Reviews 14: Agroecology and Global Change, Sustainable Agriculture Reviews* 14, 449-508.

El-Samman, M.G. (2000). The role of soluble silicon in controlling some root rot diseases of cucumber and tomato. *Annals of Agricultural Science Cairo* 4, 1411-1419.

Eldridge, S.M., Chan, K.Y., and Donovan, N.J. (2014). "Agronomic, soil quality and environmental consequences of using compost in vegetable production," in *Composting for Sustainable Agriculture, Sustainable Development and Biodiversity*, ed. D.K. Maheshwari. Springer), 125-149.

Esechie, H.A., Rodriguez, V., and Elshafie, A. (1998). Biomass production, nodulation, and acetylene reduction activity of alfalfa grown under salinity stress. *Journal of Plant Nutrition* 21, 489-503.

Esmaili Taheri, A., Chatterton, S., Foroud, N.A., Gossen, B.D., and McLaren, D.L. (2017). Identification and community dynamics of fungi associated with root, crown, and foot rot of field pea in western Canada. *European Journal of Plant Pathology* 147, 489-500.

- Esmacili Taheri, A., Hamel, C., and Gan, Y. (2015). Pyrosequencing reveals the impact of foliar fungicide application to chickpea on root fungal communities of durum wheat in subsequent year. *Fungal Ecology* 15, 73-81.
- Essarioui, A., LeBlanc, N., Kistler, H.C., and Kinkel, L.L. (2017). Plant Community Richness Mediates Inhibitory Interactions and Resource Competition between *Streptomyces* and *Fusarium* Populations in the Rhizosphere. *Microbial Ecology* 74, 157-167.
- Eviner, V., and Chapin, F. (2003). Biogeochemical interactions and biodiversity. In: Melillo, J., C. Field and M. Moldan (eds), Element interactions: rapid assessment project of SCOPE. Washington, USA, Island Press.
- Fang, J.G., and Tsao, P.H. (1995). Evaluation of *Pythium nunn* as a potential biocontrol agent against *Phytophthora* root rots of azalea and sweet orange. *Phytopathology* 85, 29-36.
- FAO (2017). *FAOSTAT* [Online]. FAO. Available: <http://www.fao.org/faostat/en/#data/QC/visualize> [Accessed 20/12/2017].
- Fernández, E., Segarra, G., and Trillas, M.I. (2014). Physiological effects of the induction of resistance by compost or *Trichoderma asperellum* strain T34 against *Botrytis cinerea* in tomato. *Biological Control* 78, 77-85.
- Filimon, M.N., Voia, S.O., Popescu, R., Dumitrescu, G., Ciochina, L.P., Mituletu, M., and Vlad, D.C. (2015). The effect of some insecticides on soil microorganisms based on enzymatic and bacteriological analyses. *Romanian Biotechnological Letters* 20, 10439-10447.
- Fließbach, A., Schmidt, C., Bruns, C., Palmer, M., Nietlispach, B., Leifert, C., and Tamm, L. (2007). "Soil biological quality in short- and long-term field trials

with conventional and organic fertility input types", in: *3rd QLIF Congress*. (Hohenheim, Germany).

Fowler, H.G., and Garcia, C.R. (1989). Parasite-dependent protocoooperation. *Naturwissenschaften* 76, 26-27.

Fravel, D.R. (2005). Commercialization and implementation of biocontrol. *Annual Review of Phytopathology* 43, 337–359.

Gannibal, P.B., Orina, A.S., Mironenko, N.V., and Levitin, M.M. (2014). Differentiation of the closely related species, *Alternaria solani* and *A. tomatophila*, by molecular and morphological features and aggressiveness. *European Journal of Plant Pathology* 139, 609-623.

Gardes, M., and Bruns, T. (1993). ITS primers with enhanced specificity for basidiomycetes – application to the identification of mycorrhizae and rusts. *Molecular Ecology* 2, 113-118.

Gee, G.W., and Bauder, J.W. (1986). Particle size analysis. In: Klute, A. (ed), *Methods of Soil Analysis, Part-I. Physical and mineralogical methods*. Madison, WI, USA, American Society of Agronomy, pp. 383-411.

Gleason, F.H., Letcher, P.M., and McGee, P.A. (2007). Some aerobic *Blastocladiomycota* and *Chytridiomycota* can survive but cannot grow under anaerobic conditions. *Australasian Mycologist* 26, 57-64.

Godfrey, S.A.C., Monds, R.D., Lash, D.T., and Marshall, J.W. (2003). Identification of *Pythium oligandrum* using species-specific ITS rDNA PCR oligonucleotides. *Mycological Research* 107, 790-796.

- Goettel, M.S., Hajek, A.E., Siegel, J.P., and Evans, H.C. (2001). Safety of fungal biocontrol agents. *Fungi as Biocontrol Agents*. CAB International, 347–375.
- Grantina, L., Kenigsvalde, K., Eze, D., Petrina, Z., Skrabule, I., Rostoks, N., and Nikolajeva, V. (2011). Impact of six-year-long organic cropping on soil microorganisms and crop disease suppressiveness. *Zemdirbyste Agriculture* 98, 399-408.
- Grüter, R., Costerousse, B., Bertoni, A., Mayer, J., Thonar, C., Frossard, E., Schulin, R., and Tandy, S. (2017). Green manure and long-term fertilization effects on soil zinc and cadmium availability and uptake by wheat (*Triticum aestivum* L.) at different growth stages. *Science of the Total Environment* 599-600, 1330-1343.
- Gubler, W.D., and Davis, R.M. (1996). *Pythium* and *Phytophthora* damping-off and root rot. In: Zitter, T.A., D.L. Hopkins and C.E. Thomas (eds), Compendium of Cucurbit Diseases. St. Paul, Minnesota, USA, APS Press, pp. 21-22.
- Guijarro, B., Hernandez-Escribano, L., Larena, I., Melgarejo, P., and De Cal, A. (2017). Competition is the mechanism of biocontrol of brown rot in stone fruit by *Penicillium frequentans*. *BioControl* 62, 557-566.
- Guo, X., Petermann, J.S., Schittko, C., and Wurst, S. (2015). Independent role of belowground organisms and plant cultivar diversity in legume-grass communities. *Applied Soil Ecology* 95, 1-8.
- Gyaneshwar, P., Naresh Kumar, G., Parekh, L.J., and Poole, P.S. (2002). Role of soil microorganisms in improving P nutrition of plants. *Plant and Soil* 245, 83-93.
- Hajek, A.E. (2004). *Natural Enemies: An Introduction to Biological Control*. UK: Cambridge University Press.

- Hamilton, C.E., and Bauerle, T.L. (2012). A new currency for mutualism? Fungal endophytes alter antioxidant activity in hosts responding to drought. *Fungal Diversity* 54, 39-49.
- Hancock, J.G. (1977). Factors affecting soil populations of *Pythium ultimum* in the San Joaquin Valley of California. *Hilgardia* 45, 107-122.
- Hanson, L.E., and Howell, C.R. (2004). Elicitors of plant defense responses from biocontrol strains of *Trichoderma virens*. *Phytopathology* 94, 171-176.
- Hatami, N., Aminae, M.M., Zohdi, H., and Tanideh, T. (2013). Damping-off disease in greenhouse cucumber in Iran. *Archives of Phytopathology and Plant Protection* 46, 796-802. doi: 10.1080/03235408.2012.752145.
- Hawksworth, D.L. (1991). The fungal dimension of biodiversity: magnitude, significance, and conservation. *Mycological Research* 95, 641-655.
- Heilmann-Clausen, J., Barron, E.S., Boddy, L., Dahlberg, A., Griffith, G.W., Nordén, J., Ovaskainen, O., Perini, C., Senn-Irlet, B., and Halme, P. (2015). A fungal perspective on conservation biology. *Conservation Biology* 29, 61-68.
- Hendrix, F.F., and Campbell, W.A. (1973). *Pythium* as plant pathogens. *Annual Review of Phytopathology* 11, 77-98.
- Hepting, G.H. (1974). Death of the American Chestnut. *Journal of Forest History* 18, 60-67.

- Hernández-Restrepo, M., Gené, J., Castañeda-Ruiz, R.F., Mena-Portales, J., Crous, P.W., and Guarro, J. (2017). Phylogeny of saprobic microfungi from Southern Europe. *Studies in Mycology* 86, 53-97.
- Hiers, J.K., and Evans, J.P. (1997). Effects of anthracnose on dogwood mortality and forest composition of the Cumberland Plateau (U.S.A.). *Conservation Biology* 11, 1430-1435.
- Higginbotham, R.W., Paulitz, T.C., Campbell, K.G., and Kidwell, K.K. (2004). Evaluation of adapted wheat cultivars for tolerance to *Pythium* root rot. *Plant Disease* 88, 1027-1032.
- Hirsch, A.M. (2004). Plant-microbe symbioses: A continuum from commensalism to parasitism. *Symbiosis* 37, 345-363.
- Hofstetter, R.W., Cronin, J.T., Klepzig, K.D., Moser, J.C., and Ayres, M.P. (2006). Antagonisms, mutualisms and commensalisms affect outbreak dynamics of the southern pine beetle. *Oecologia* 147, 679-691.
- Hoppe, P.E. (1966). *Pythium* species still viable after 12 years in air dried muck soil. *Phytopathology* 56, 1411.
- Howard, R.J., Garland, J.A., and Seaman, W.L. (1994). *Diseases and Pests of Vegetable Crops in Canada: an illustrated compendium*. Ottawa, Ontario, Canada: Canadian Phytopathological Society and Entomological Society of Canada.
- Huang, P.M., Wang, M.K., and Chiu, C.Y. (2005). Soil mineral-organic matter-microbe interactions: impacts on biogeochemical processes and biodiversity in soils. *Pedobiologia* 49, 609-635.

- Huang, X., Liu, L., Wen, T., Zhang, J., Shen, Q., and Cai, Z. (2016). Reductive soil disinfestations combined or not with *Trichoderma* for the treatment of a degraded and *Rhizoctonia solani* infested greenhouse soil. *Scientia Horticulturae* 206, 51-61.
- Huang, X., Liu, L., Wen, T., Zhu, R., Zhang, J., and Cai, Z. (2015). Illumina MiSeq investigations on the changes of microbial community in the *Fusarium oxysporum* f.sp. *cubense* infected soil during and after reductive soil disinfestation. *Microbiological Research* 181, 33-42.
- Hussain, S., Arshad, M., Saleem, M., and Khalid, A. (2007). Biodegradation of  $\alpha$ - and  $\beta$ -endosulfan by soil bacteria. *Biodegradation* 18, 731-740.
- Hussin, S., Khalifa, W., Geissler, N., and Koyro, H.W. (2017). Influence of the root endophyte *Piriformospora indica* on the plant water relations, gas exchange and growth of *Chenopodium quinoa* at limited water availability. *Journal of Agronomy and Crop Science* 203, 373-384.
- Igiehon, N.O. and Babalola, O.O. (2017). Biofertilizers and sustainable agriculture: exploring arbuscular mycorrhizal fungi. *Applied Microbiology and Biotechnology* 101, 4871-4881.
- Jabed A. Choudhury, M., M. J. Trevelyan, P., and P. Boswell, G. (2018). A mathematical model of nutrient influence on fungal competition. *Journal of Theoretical Biology* 438, 9-20.
- Jackson, C.R., Tyler, H.L., and Millar, J.J. (2013). Determination of microbial extracellular enzyme activity in waters, soils, and sediments using high throughput microplate assays. *Journal of visualized experiments* 80, e50399.

- Jain, R., Garg, V., and Saxena, J. (2014). Effect of an organophosphate pesticide, monocrotophos, on phosphate-solubilizing efficiency of soil fungal isolates. *Applied Biochemistry and Biotechnology* 175, 813-824.
- Junaid, J.M., Dar, N.A., Bhat, T.A., Bhat, A.H., Mudasir, and Bhat, A. (2013). Commercial biocontrol agents and their mechanism of action in the management of plant pathogens. *International Journal of Modern Plant and Animal Sciences* 1, 39-57.
- Kageyama, S.A., Mandyam, K.G., and Jumpponen, A. (2008). Diversity, function and potential applications of the root-associated endophytes. In, Mycorrhiza: State of the Art, Genetics and Molecular Biology, Eco-Function, Biotechnology, Eco-Physiology, Structure and Systematics (Third Edition). pp. 29-57.
- Kakvan, N., Heydari, A., Zamanizadeh, H.R., Rezaee, S., and Naraghi, L. (2013). Development of new bioformulations using *Trichoderma* and *Talaromyces* fungal antagonists for biological control of sugar beet damping-off disease. *Crop Protection* 53, 80-84.
- Karmakar, N.C., Rajyasri, G., and Purkayastha, R.P. (2003). Plant defence activators inducing systemic resistance in *Zingiber officinale* Rosc. against *Pythium aphanidermatum* (Edson) Fitz. *Indian Journal of Biotechnology* 2, 591-595.
- Kashyap, P.L., Rai, P., Srivastava, A.K., and Kumar, S. (2017). *Trichoderma* for climate resilient agriculture. *World Journal of Microbiology and Biotechnology* 33, 155.
- Kaya, H.K., Kopenhoffer, M., and Johnson, M. (1988). Natural enemies of entomopathogenic nematodes. *Japan Journal of Nematology* 28, 13-21.



- Kazeeroni, E.A., and Al-Sadi, A.M. (2016). 454-pyrosequencing reveals variable fungal diversity across farming systems. *Frontiers in Plant Science* 7, 314.
- Kazerooni, E.A., Maharachchikumbura, S.S.N., Rethinasamy, V., Al-Mahrouqi, H., and Al-Sadi, A.M. (2017). Fungal diversity in tomato rhizosphere soil under conventional and desert farming systems. *Frontiers in Microbiology* 8, 1462.
- Khan, A.J., Akhtar, S., Singh, A.K., Al-Shehi, A.A., Al-Matrushi, A.M., Ammara, U., and Briddon, R.W. (2014). Recent evolution of a novel begomovirus causing tomato leaf curl disease in the Al-Batinah region of Oman. *Archives of Virology* 159, 445-455.
- Khan, A.L., Al-Harrasi, A., Al-Rawahi, A., Al-Farsi, Z., Al-Mamari, A., Waqas, M., Asaf, S., Elyassi, A., Mabood, F., Shin, J.H., and Lee, I.J. (2016). Endophytic fungi from frankincense tree improves host growth and produces extracellular enzymes and indole acetic acid. *PLoS ONE* 11. e0158207.
- Khan, A.L., and Lee, I.J. (2013). Endophytic *Penicillium funiculosum* LHL06 secretes gibberellin that reprograms *Glycine max* L. growth during copper stress. *BMC Plant Biology* 13, 86.
- Kingdom, H. (2013). Insect maintenance and transmission. *Methods in Molecular Biology* 938, 47-59.
- Kinney, C.A., Mandernack, K.W., and Mosier, A.R. (2005). Laboratory investigations into the effects of the pesticides mancozeb, chlorothalonil, and prosulfuron on nitrous oxide and nitric oxide production in fertilized soil. *Soil Biology and Biochemistry* 37, 837-850.

- Kipngeno, P., Losenge, T., Maina, N., Kahangi, E., and Juma, P. (2015). Efficacy of *Bacillus subtilis* and *Trichoderma asperellum* against *Pythium aphanidermatum* in tomatoes. *Biological Control* 90, 92-95.
- Kiss, L. (2003). A review of fungal antagonists of powdery mildews and their potential as biocontrol agents. *Pest Management Science* 59, 475-483.
- Knudsen, G.R., Eschen, D.J., Dandurand, L.M., and Wang, Z.G. (1991). Method to enhance growth and sporulation of pelletized biocontrol fungi. *Applied and Environmental Microbiology* 57, 2864-2867.
- Kohler, J., Caravaca, F., Azcón, R., Díaz, G., and Roldán, A. (2015). The combination of compost addition and arbuscular mycorrhizal inoculation produced positive and synergistic effects on the phytomanagement of a semiarid mine tailing. *Science of the Total Environment* 514, 42-48.
- Kotlínek, M., Hiiesalu, I., Košnar, J., Šmilauerová, M., Šmilauer, P., Altman, J., Dvorský, M., Kopecký, M., and Doležal, J. (2017). Fungal root symbionts of high-altitude vascular plants in the Himalayas. *Scientific Reports* 7, 6562.
- Kredics, L., Manczinger, L., Antal, Z., Péntes, Z., Szekeres, A., Kevei, F., and Nagy, E. (2004). In vitro water activity and pH dependence of mycelial growth and extracellular enzyme activities of *Trichoderma* strains with biocontrol potential. *Journal of Applied Microbiology* 96, 491-498.
- Krishnapura, P.R., and Belur, P.D. (2016). Partial purification and characterization of L-asparaginase from an endophytic *Talaromyces pinophilus* isolated from the rhizomes of *Curcuma amada*. *Journal of Molecular Catalysis B: Enzymatic* 124, 83-91.

- Kumar, M., and Philip, L. (2006). Adsorption and desorption characteristics of hydrophobic pesticide endosulfan in four Indian soils. *Chemosphere* 62, 1064-1077.
- Kuramae, E.E., Yergeau, E., Wong, L.C., Pijl, A.S., Van Veen, J.A., and Kowalchuk, G.A. (2012). Soil characteristics more strongly influence soil bacterial communities than land-use type. *FEMS Microbiology Ecology* 79, 12-24.
- Larkin, R.P., Hopkins, D.L., and Martin, F.N. (1996). Suppression of Fusarium wilt of watermelon by nonpathogenic *Fusarium oxysporum* and other microorganisms recovered from a disease- suppressive soil. *Phytopathology* 86, 812-819.
- Le, D.P., Aitken, E.A.B., and Smith, M.K. (2015). Comparison of host range and pathogenicity of isolates of *Pythium myriotylum* and *Pythium zingiberis*. *Acta Horticulturae* 1105, 47-54.
- Lenc, L., Kwaśna, H., Sadowski, C., and Grabowski, A. (2015). Microbiota in wheat roots, rhizosphere and soil in crops grown in organic and other production systems. *Journal of Phytopathology* 163, 245-263.
- Leung, T.L.F., and Poulin, R. (2008). Parasitism, commensalism, and mutualism: Exploring the many shades of symbioses. *Vie et Milieu* 58, 107-115.
- Lewis, L.C., Bruck, D.J., Prasifka, J.R., and Raun, E.S. (2009). *Nosema pyrausta*: its biology, history, and potential role in a landscape of transgenic insecticidal crops. *Biological Control* 48, 223-231.
- Li, L., Li, L., Wang, X., Zhu, P., Wu, H., and Qi, S. (2017). Plant growth-promoting endophyte *Piriformospora indica* alleviates salinity stress in *Medicago truncatula*. *Plant Physiology and Biochemistry* 119, 211-223.

- Li, R., Khafipour, E., Krause, D.O., Entz, M.H., de Kievit, T.R., and Fernando, W.G.D. (2012). Pyrosequencing Reveals the Influence of Organic and Conventional Farming Systems on Bacterial Communities. *PLoS ONE* 7, e051897.
- Liang, Y.C., Sun, W.C., Si, J., and Romheld, V. (2005). Effects of foliar- and root-applied silicon on the enhancement of induced resistance to powdery mildew in *Cucumis sativus*. *Plant Pathology* 54, 678-685.
- Lida, W., Hirano, K., Amemiya, Y., and Mita, Y. (1983). Influence of soil moisture on the incidence of damping-off of cucumber caused by *Fusarium oxysporum* f.sp. *cucumerinum* and *Pythium aphanidermatum*. *Technical Bulletin of the Faculty of Horticulture Chiba University* 31, 81-86.
- Lipson, D.A., and Kelley, S.T. (2014). Plant-microbe interactions. in *Ecology and the Environment*, pp. 177-204.
- Litterick, A.M., Harrier, L., Wallace, P., Watson, C.A., and Wood, M. (2004). The role of uncomposted materials, composts, manures, and compost extracts in reducing pest and disease incidence and severity in sustainable temperate agricultural and horticultural crop production - A review. *Critical Reviews in Plant Sciences* 23, 453-479.
- Liu, L., Liu, Y., Hui, R., and Xie, M. (2017). Recovery of microbial community structure of biological soil crusts in successional stages of Shapotou desert revegetation, northwest China. *Soil Biology and Biochemistry* 107, 125-128.
- Liu, M., Siezen, R.J., and Nauta, A. (2009). In silico prediction of horizontal gene transfer events in *Lactobacillus bulgaricus* and *Streptococcus thermophilus*

reveals protocoooperation in yogurt manufacturing. *Applied and Environmental Microbiology* 75, 4120-4129.

Lopes, M.R., Klein, M.N., Ferraz, L.P., da Silva, A.C., and Kupper, K.C. (2015). *Saccharomyces cerevisiae*: A novel and efficient biological control agent for *Colletotrichum acutatum* during pre-harvest. *Microbiological Research* 175, 93-99.

Lucas, B., and Griffiths, P.D. (2004). Evaluation of common bean accessions for resistance to *Pythium ultimum*. *HortScience* 39, 1193-1195.

Lugtenberg, B. (2015). *Principles of plant-microbe interactions: Microbes for sustainable agriculture*, Leiden: Springer.

Lumsden, R.D., and Ayers, W.A. (1975). Influence of soil environment on the germinability of constitutively dormant oospores of *Pythium ultimum*. *Phytopathology* 65, 1101-1107.

M.S.Leelavathi, L.Vani, and Reena, P. (2014). Antimicrobial activity of *Trichoderma harzianum* against bacteria and fungi. *International Journal of Current Microbiology and Applied Sciences* 3, 96-103.

Madi, L., Katan, T., Katan, J., and Henis, Y. (1997). Biological control of *Sclerotium rolfsii* and *Verticillium dahliae* by *Talaromyces flavus* is mediated by different mechanisms. *Phytopathology* 87, 1054-1060.

Mahía, J., Cabaneiro, A., Carballas, T., and Díaz-Raviña, M. (2008). Microbial biomass and C mineralization in agricultural soils as affected by atrazine addition. *Biology and Fertility of Soils* 45, 99-105.

- Maina, S., Coutts, B.A., Edwards, O.R., Almeida, L.D., Kehoe, M.A., Ximenes, A., and Jones, R.A.C. (2017). Zucchini yellow mosaic virus populations from east Timorese and Northern Australian cucurbit crops: Molecular properties, genetic connectivity, and biosecurity implications. *Plant Disease* 101, 1236-1245.
- Mandyam, K.G., and Jumpponen, A. (2014). Mutualism-parasitism paradigm synthesized from results of root-endophyte models. *Frontiers in Microbiology* 5, 776.
- Manjunath, M., Singh, A., Tripathi, A.N., Prasanna, R., Raf, A.B., and Singh, B. (2017). Bioprospecting the fungicides compatible *Trichoderma asperellum* isolate effective against multiple plant pathogens in vitro. *Journal of Environmental Biology* 38, 553-560.
- Martin, F.N., and Hancock, J.G. (1986). Association of chemical and biological factors in soils suppressive to *Pythium ultimum*. *Phytopathology* 76, 1221-1231.
- Martin, F.N., and Loper, J.E. (1999). Soilborne plant diseases caused by *Pythium* spp.: ecology, epidemiology, and prospects for biological control. *Critical Reviews in Plant Sciences* 18, 111-181.
- Martin, F.N., and Semer, C.R. (1992). Biological control of damping-off of tomato transplants using the non-plant pathogen *Pythium oligandrum*. *Phytopathology* 82, 1149.
- Maslova, I.V., and Dochevoy, Y.E. (2016). A case of proto-cooperation between the pitviper *Gloydius ussuriensis* and the ground beetle *Carabus granulatus telluris*. *Russian Journal of Herpetology* 23, 231-234.

- Matsushita, Y., Bao, Z., Kurose, D., Okada, H., Takemoto, S., Sawada, A., Nagase, H., Takano, M., Murakami, H., Koitabashi, M., Yoshida, S., Saito, M., Sano, T., and Tsushima, S. (2015). Community structure, diversity, and species dominance of bacteria, fungi, and nematodes from naturally and conventionally farmed soil: a case study on Japanese apple orchards. *Organic Agriculture* 5, 11-28.
- Mayo, S., Gutiérrez, S., Cardoza, R.E., Hermosa, R., Monte, E., and Casquero, P.A. (2017). *Trichoderma* species as biocontrol agents in legumes. In *Legumes for Global Food Security*, 73-100.
- Mbarga, J.B., Ten Hoopen, G.M., Kuaté, J., Adiobo, A., Ngonkeu, M.E.L., Ambang, Z., Akoa, A., Tondje, P.R., and Begoude, B.A.D. (2012). *Trichoderma asperellum*: A potential biocontrol agent for *Pythium myriotylum*, causal agent of cocoyam (*Xanthosoma sagittifolium*) root rot disease in Cameroon. *Crop Protection* 36, 18-22.
- Moghal, S.M., Shivanathan, P., Mani, A., Al-Zidjali, A.D., Al-Zidjali, T.S., and Al-Raeesy, Y.M (1993) . *Status of Pests and Diseases in Oman: Series 1: Plant Diseases in the Batinah*. Muscat, Oman: Ministry of Agriculture and Fisheries.
- Monkiedje, A., Ilori, M.O., and Spiteller, M. (2002). Soil quality changes resulting from the application of the fungicides mefenoxam and metalaxyl to a sandy loam soil. *Soil Biology and Biochemistry* 34, 1939-1948.
- Montesinos, E., and Bonaterra, A. (1996). Dose-response models in biological control of plant pathogens: An empirical verification. *Phytopathology* 86, 464-472.
- Montesinos, E., Bonaterra, A., Ophir, Y., and Beer, S.V. (1996). Antagonism of selected bacterial strains to *Stemphylium vesicarium* and biological control of

brown spot of pear under controlled environment conditions. *Phytopathology* 86, 856-863.

Moorman, G.W., and Kim, S.H. (2004). Species of *Pythium* from greenhouses in Pennsylvania exhibit resistance to propamocarb and mefenoxam. *Plant Disease* 88, 630-632.

Naluyange, V., Ochieno, D.M.W., Maingi, J.M., Ombori, O., Mukaminega, D., Amoding, A., Odendo, M., Okoth, S.A., Shivoga, W.A., and Muoma, J.V.O. (2014). Compatibility of Rhizobium inoculant and water hyacinth compost formulations in Rosecoco bean and consequences on Aphis fabae and Colletotrichum lindemuthianum infestations. *Applied Soil Ecology* 76, 68-77.

Naraghi, L., Heydari, A., Askari, H., Pourrahim, R., and Marzban, R. (2014). Biological control of Polymyxa betae, fungal vector of rhizomania disease of sugar beets in greenhouse conditions. *Journal of Plant Protection Research* 54, 109-114.

Naraghi, L., Heydari, A., Rezaee, S., and Razavi, M. (2012). Biocontrol Agent *Talaromyces flavus* Stimulates the Growth of Cotton and Potato. *Journal of Plant Growth Regulation* 31, 471-477.

Naraghi, L., Heydari, A., Rezaee, S., Razavi, M., and Afshari-Azad, H. (2010). Biological control of Verticillium wilt of greenhouse cucumber by *Talaromyces flavus*. *Phytopathologia Mediterranea* 49, 321-329.

Nei, M. (2005). Selectionism and neutralism in molecular evolution. *Molecular Biology and Evolution* 22, 2318-2342.



- Nicol, R.W., and Burlakoti, P. (2015). Effect of aerobic Compost tea inputs and application methods on protecting tomato from *Phytophthora capsici*. *Acta Horticulturae* 1069:229-233.
- Niewiadomska, A. (2004). Effect of carbendazim, imazetapir and thiram on nitrogenase activity, the number of microorganisms in soil and yield of red clover (*Trifolium pratense* L.). *Polish Journal of Environmental Studies* 13, 403-410.
- Öhberg, H., and Bång, U. (2010). Biological control of clover rot on red clover by *Coniothyrium minitans* under natural and controlled climatic conditions. *Biocontrol Science and Technology* 20, 25-36.
- Ojaghian, M.R. (2011). Potential of *Trichoderma* spp. and *Talaromyces flavus* for biological control of potato stem rot caused by *Sclerotinia sclerotiorum*. *Phytoparasitica* 39, 185-193.
- On, A., Wong, F., Ko, Q., Tweddell, R.J., Antoun, H., and Avis, T.J. (2015). Antifungal effects of compost tea microorganisms on tomato pathogens. *Biological Control* 80, 63-69.
- Otten, W., Bailey, D.J., and Gilligan, C.A. (2004). Empirical evidence of spatial thresholds to control invasion of fungal parasites and saprotrophs. *New Phytologist* 163, 125-132.
- Ozbay, N., Newman, S.E., and Brown, W.M. (2004). The effect of *Trichoderma harzianum* strains on the growth of tomato seedlings. *International Society for Horticultural Science* 635, 131- 135.
- Padmavathi, J., Uma Devi, K., and Uma Maheswara Rao, C. (2003). The optimum and tolerance pH range is correlated to colonial morphology in isolates of the

entomopathogenic fungus *Beauveria bassiana* - A potential biopesticide. *World Journal of Microbiology and Biotechnology* 19, 469-477.

Pagano, M.C., Correa, E.J.A., Duarte, N.F., Yelikbayev, B., O'Donovan, A., and Gupta, V.K. (2017). Advances in eco-efficient agriculture: The plant-soil mycobiome. *Agriculture (Switzerland)* 7, 14.

Pankhurst, C.E., McDonald, H.J., and Hawke, B.G. (1995a). Influence of soil-water matric potential on the control of *Pythium* root infection of wheat with metalaxyl in two contrasting soils of South Australia. *Australian Journal of Experimental Agriculture* 35, 603-610.

Pankhurst, C.E., McDonald, H.J., and Hawke, B.G. (1995b). Influence of tillage and crop rotation on the epidemiology of *Pythium* infections of wheat in a red-brown earth of South Australia. *Soil Biology and Biochemistry* 27, 1065-1073.

Patel, J.S., Kharwar, R.N., Singh, H.B., Upadhyay, R.S., and Sarma, B.K. (2017). *Trichoderma asperellum* (T42) and *Pseudomonas fluorescens* (OKC)-enhances resistance of pea against erysiphe pisi through enhanced ROS generation and lignifications. *Frontiers in Microbiology* 8, 306.

Paul, B., Bazireau, D., and Gambade, G. (1996). *Pythium deliense* causing severe damping-off of cucumber seedlings and its biological control by soil bacteria. *Microbiological Research* 151, 309-312.

Paul, B., Charles, R., and Bhatnagar, T. (1995). Biological control of *Pythium mamillatum* causing damping-off of cucumber seedlings by a soil bacterium, *Bacillus mycoides*. *Microbiological Research* 150, 71-75.

- Paulitz, T.C., and Baker, R. (1987). Biological control of *Pythium* damping-off of cucumbers with *Pythium nunn*: population dynamics and disease suppression. *Phytopathology* 77, 335-340.
- Peay, K.G., Baraloto, C., and Fine, P.V.A. (2013). Strong coupling of plant and fungal community structure across western Amazonian rainforests. *ISME Journal* 7, 1852-1861.
- Peethambaran, C.K., and Singh, R.S. (1977). Survival of different structures of *Pythium* spp. in soil. *Indian Phytopathology* 30, 347-352.
- Peña, P.A., Steadman, J.R., Eskridge, K.M., and Urrea, C.A. (2013). Identification of sources of resistance to damping-off and early root/hypocotyl damage from *Rhizoctonia solani* in common bean (*Phaseolus vulgaris* L.). *Crop Protection* 54, 92-99.
- Pérez-Brocal, V., Latorre, A., and Moya, A. (2013). Symbionts and Pathogens: What is the Difference? *Current Topics in Microbiology and Immunology* 358, 215–243.
- Plaats-Niterink, A.J.V.-d. (1981). Monograph of the genus *Pythium*. *Studies in Mycology* 21, 1-242.
- Pose-Juan, E., Sánchez-Martín, M.J., Herrero-Hernández, E., and Rodríguez-Cruz, M.S. (2015). Application of mesotrione at different doses in an amended soil: Dissipation and effect on the soil microbial biomass and activity. *Science of the Total Environment* 536, 31-38.
- Potter, M.C. (1908). Bacteria as agents in the oxidation of amorphous carbon. *The Royal Society's Flagship Biological Research Journal* 80, 239-259.

Powell, J., and Klironomos, J. (2006). The ecology of plant-microbial mutualisms. In, *Soil Microbiology, Ecology and Biochemistry: Third Edition*. pp. 257-281.

Powell, K.A., and Jutsum, A.R. (1993). Technical and commercial aspects of biocontrol products. *Pesticide Science* 37, 315-321.

Prasanna, R., Babu, S., Bidyarani, N., Kumar, A., Triveni, S., Monga, D., Mukherjee, A.K., Kranthi, S., Gokte-Narkhedkar, N., Adak, A., Yadav, K., Nain, L., and Saxena, A.K. (2015). Prospecting cyanobacteria-fortified composts as plant growth promoting and biocontrol agents in cotton. *Experimental Agriculture* 51, 42-65.

Price, G.W., Astatkie, T., Gillis, J.D., and Liu, K. (2015). Long-term influences on nitrogen dynamics and pH in an acidic sandy soil after single and multi-year applications of alkaline treated biosolids. *Agriculture, Ecosystems and Environment* 208, 1-11.

Punja, Z.K., and Yip, R. (2003). Biological control of damping-off and root rot caused by *Pythium aphanidermatum* on greenhouse cucumbers. *Canadian Journal of Plant Pathology* 25, 411-417.

Qiu, M., Zhang, R., Xue, C., Zhang, S., Li, S., Zhang, N., and Shen, Q. (2012). Application of bio-organic fertilizer can control Fusarium wilt of cucumber plants by regulating microbial community of rhizosphere soil. *Biology and Fertility of Soils* 48, 807-816.

Queiroz, R.B., Donkersley, P., Silva, F.N., Al-Mahmmoli, I.H., Al-Sadi, A.M., Carvalho, C.M., and Elliot, S.L. (2016). Invasive mutualisms between a plant pathogen and insect vectors in the Middle East and Brazil. *Royal Society Open Science* 3, 160557.

- Rangel, D.E.N., Alder-Rangel, A., Dadachova, E., Finlay, R.D., Kupiec, M., Dijksterhuis, J., Braga, G.U.L., Corrochano, L.M., and Hallsworth, J.E. (2015). Fungal stress biology: a preface to the Fungal Stress Responses special edition. *Current Genetics* 61, 231-238.
- Rankin, L., and Paulitz, T.C. (1994). Evaluation of rhizosphere bacteria for biological control of *Pythium* root rot of greenhouse cucumbers in hydroponic culture. *Plant Disease* 78, 447-451.
- Raza, W., Ling, N., Zhang, R., Huang, Q., Xu, Y., and Shen, Q. (2017). Success evaluation of the biological control of Fusarium wilts of cucumber, banana, and tomato since 2000 and future research strategies. *Critical Reviews in Biotechnology* 37, 202-212.
- Robb, J. (2007). Verticillium tolerance: Resistance, susceptibility, or mutualism? *Canadian Journal of Botany* 85, 903-910.
- Rohini, Gowtham, H.G., Hariprasad, P., Singh, S.B., and Niranjana, S.R. (2016). Biological control of Phomopsis leaf blight of brinjal (*Solanum melongena* L.) with combining phylloplane and rhizosphere colonizing beneficial bacteria. *Biological Control* 101, 123-129. doi: 10.1016/j.biocontrol.2016.05.007.
- Rubatzky, V.E., and Yamaguchi, M. (1997). *World vegetables: principles, production and nutritive values*. New York: Chapman and Hall.
- Saleh, E.A., Samman, M.G.M.E.-, El-Wafa, W.M.A., Sharaf, M.S., and Ahmed, F.H. (2013). Biocontrol of damping-off disease caused by *Rhizoctonia Solani* in some medicinal plants using local strain of *Streptomyces pactum*. *Australian Journal of Basic and Applied Sciences* 7, 743-751.

- Samson, R.A., Visagie, C.M., Houbraken, J., Hong, S.-B., Hubka, V., Klaasen, C.H.W., Perrone, G., Seifert, K.A., Susca, A., Tanney, J.B., Varga, J., Kocsubé, S., Szigeti, G., Yaguchi, T., and Frisvad, J.C. (2014). Phylogeny , identification and nomenclature of the genus *Aspergillus*. *Studies in Mycology* 78, 141-173.
- Santos, V.B., Araújo, A.S.F., Leite, L.F.C., Nunes, L.A.P.L., and Melo, W.J. (2012). Soil microbial biomass and organic matter fractions during transition from conventional to organic farming systems. *Geoderma* 170, 227-231.
- Saramanda, G., and Kaparapu, J. (2017). Impact of Pesticides on Selected Soil Mycoflora. *International Journal of Advanced Research in Biological Science* 4, 105-112.
- Sathiyabama, M., and Parthasarathy, R. (2017). Withanolide production by fungal endophyte isolated from *Withania somnifera*. *Natural Product Research*, 1-5. doi: 10.1080/14786419.2017.1389934.
- Sembiring, M., Elfiati, D., Sutarta, E.S., and Sabrina, T. (2017). Phosphate solubilization agents in increasing potatoes production on andisol Sinabung area. *Asian Journal of Plant Sciences* 16, 141-148.
- Sharma, V., Salwan, R., and Sharma, P.N. (2017). The comparative mechanistic aspects of *Trichoderma* and Probiotics: Scope for future research. *Physiological and Molecular Plant Pathology* 100, 84-96.
- Shi, Y.W., Zhang, X., and Lou, K. (2013). Isolation, characterization, and insecticidal activity of an endophyte of drunken horse grass, *Achnatherum inebrians*. *Journal of Insect Science* 13, 151.

- Siala, R., Chobba, I.B., Vallaes, T., Triki, M.A., Jrad, M., Cheffi, M., Ayedi, I., Elleuch, A., Nemsi, A., Cerqueira, F., Gdoura, R., Drira, N., and Gharsallah, N. (2016). Analysis of the cultivable endophytic bacterial diversity in the date palm (*Phoenix dactylifera* L.) and evaluation of its antagonistic potential against pathogenic *Fusarium* species that cause date palm bayound disease. *Journal of Applied and Environmental Microbiology* 4, 93-104.
- Siddiqui, Z.A., and Pichtel, J. (2008). Mycorrhizae: An overview. In, *Mycorrhizae: Sustainable Agriculture and Forestry*. pp. 1-35.
- Sidorenko, O.D., Aristarkhova, V.I., and Chernikov, V.A. (1978). Changes in the composition and properties of humic acids brought about by the action of microorganisms of the genus *Nocardia*. *Biology Bulletin of the Academy of Sciences of the USSR* 5, 150-155.
- Silvestro, D., and Michalak, I. (2012). RaxmlGUI :a graphical front-end for RAXML. *Organisms Diversity and Evolution* 12, 335-337.
- Simon, C., and Sivasithaparam, M. (1988). Interaction among *Gaeumannomyces graminum* var. *tritici*, *Trichoderma koningii* and soil bacteria. *Canadian Journal of Microbiology* 34.876-871 ,
- Simone, G.W., and Mullin, R.S. (1999). Fruit and vegetables. In, 1999-2000 Florida plant disease management guide. Gainesville,Florida, Institute of Food and Agricultural Sciences, Florida Cooperative Extension Service, University of Florida, pp. 89-90.
- Smith, S., and Read, D. (2008). *Mycorrhizal Symbiosis*. Amsterdam ; Boston : Academic Press.

- Soleimani, M., Afyuni, M., Hajabbasi, M.A., Nourbakhsh, F., Sabzalian, M.R., and Christensen, J.H. (2010). Phytoremediation of an aged petroleum contaminated soil using endophyte infected and non-infected grasses. *Chemosphere* 81, 1084-1090.
- Sreenivasa, M.N. (2009). Beejamrutha: A source for beneficial bacteria. *Journal of Agricultural Science* 5, 1038–1040.
- Sreenivasa, M.N. (2012). "Organic farming: For sustainable production and environmental protection. in *Microorganisms in Sustainable Agriculture and Biotechnology*, 55-76.
- Stanghellini, M.E., and Burr, T.J. (1973). Germination *in vivo* of *Pythium aphanidermatum* oospores and sporangia. *Phytopathology* 63, 1493-1496.
- Stanghellini, M.E., and Phillips, J.M. (1975). *Pythium aphanidermatum*: its occurrence and control with pyroxychlor in the Arabian desert at Abu Dhabi. *Plant Disease Reporter* 59, 559-563.
- Steel, H., Moens, T., Vandecasteele, B., Hendrickx, F., De Neve, S., Neher, D.A., and Bert, W. (2018). Factors influencing the nematode community during composting and nematode-based criteria for compost maturity. *Ecological Indicators* 85, 409-421.
- Stewart, A., Brownbridge, M., Hill, R.A., and Jackson, T.A. (2010). Utilizing soil microbes for biocontrol. In, *Soil Microbiology and Sustainable Crop Production*. pp. 315-371.
- Stott, M.B., and Taylor, M.W. (2016). Microbial ecology research in New Zealand. *New Zealand Journal of Ecology* 40, 12-28.



- Sturz, A.V., Christie, B.R., and Nowak, J. (2000). Bacterial endophytes: Potential role in developing sustainable systems of crop production. *Critical Reviews in Plant Sciences* 19, 1-30.
- Sudha, V., Govindaraj, R., Baskar, K., Al-Dhabi, N.A., and Duraipandiyan, V. (2016). Biological properties of Endophytic Fungi. *Brazilian Archives of Biology and Technology* 59, e16150436.
- Sugiyama, A., Vivanco, J.M., Jayanty, S.S., and Manter, D.K. (2010). Pyrosequencing assessment of soil microbial communities in organic and conventional potato farms. *Plant Disease* 94, 1329-1335.
- Sukul, P., and Spiteller, M. (2000). Metalaxyl: persistence, degradation, metabolism, and analytical methods. *Reviews of Environmental Contamination and Toxicology* 164, 1-26.
- Suman, A., Nath Yadav, A., and Verma, P. (2016). Endophytic microbes in crops: Diversity and beneficial impact for sustainable agriculture. in *Microbial Inoculants in Sustainable Agricultural Productivity: Vol. 1: Research Perspectives*, pp. 117-143.
- Sumner, D.R., Dowler, C.C., Johnson, A.W., Glaze, N.C., Phatak, S.C., Chalfont, R.B., and Epperson, J.E. (1983). Rot diseases of cucumber in irrigated multiple-cropping system with pest management. *Plant Disease* 67, 1071-1075.
- Sumner, D.R., Minton, N.A., Breneman, T.B., Burton, G.W., and Johnson, A.W. (1999). Root diseases and nematodes in Bahiagrass - vegetable rotations. *Plant Disease* 83, 55-59.

- Takenaka, S., Nishio, Z., and Nakamura, Y. (2003). Induction of defense reactions in sugar beet and wheat by treatment with cell wall protein fractions from the mycoparasite *Pythium oligandrum*. *Phytopathology* 93, 1228-1232.
- Tamura, K., Stecher, G., Peterson, D., Filipski, A., and Kumar, S. (2013). MEGA6: Molecular Evolutionary Genetics Analysis version 6.0. *Molecular Biology and Evolution* 30, 2725-2729.
- Tanaka, Y., Watanabe, J., and Mogi, Y. (2012). Monitoring of the microbial communities involved in the soy sauce manufacturing process by PCR-denaturing gradient gel electrophoresis. *Food Microbiology* 31, 100-106.
- Tardy, V., Spor, A., Mathieu, O., Lévêque, J., Terrat, S., Plassart, P., Regnier, T., Bardgett, R.D., van der Putten, W.H., Roggero, P.P., Seddaiu, G., Bagella, S., Lemanceau, P., Ranjard, L., and Maron, P.A. (2015). Shifts in microbial diversity through land use intensity as drivers of carbon mineralization in soil. *Soil Biology and Biochemistry* 90, 204-213.
- Team, R.D.C. (2011). R: A Language and Environment for Statistical Computing. In. Vienna, R Foundation for Statistical Computing.
- Thomson, B.C., Tisserant, E., Plassart, P., Uroz, S., Griffiths, R.I., Hannula, S.E., Buée, M., Mougel, C., Ranjard, L., Van Veen, J.A., Martin, F., Bailey, M.J., and Lemanceau, P. (2015). Soil conditions and land use intensification effects on soil microbial communities across a range of European field sites. *Soil Biology and Biochemistry* 88, 403-413.
- Ting, A.S.Y., Hermanto, A., and Peh, K.L. (2014). Indigenous actinomycetes from empty fruit bunch compost of oil palm: Evaluation on enzymatic and antagonistic properties. *Biocatalysis and Agricultural Biotechnology* 3, 310-315.

- Ting, A.S.Y., and Jioe, E. (2016). In vitro assessment of antifungal activities of antagonistic fungi towards pathogenic *Ganoderma boninense* under metal stress. *Biological Control* 96, 57-63.
- Troemel, E.R., Felix, M.A., Whiteman, N.K., Barriere, A., and Ausubel, F.M. (2008). *Microsporidia* are natural intracellular parasites of the nematode *C. elegans*. *PLoS Biology* 6, e309.
- Tseng, M.M.C., and Phillips, C.R. (1981). Mixed cultures: Commensalism and competition with *Proteus vulgaris* and *Saccharomyces cerevisiae*. *Biotechnology and Bioengineering* 23, 1639-1651.
- Van Beneden, S., Leenknecht, I., França, S.C., and Höfte, M. (2010). Improved control of lettuce drop caused by *Sclerotinia sclerotiorum* using Contans combined with lignin or a reduced fungicide application. *Crop Protection* 29, 168-174.
- van Bruggen, A.H.C., Gamliel, A., and Finckh, M.R. (2016). Plant disease management in organic farming systems. *Pest Management Science* 72, 30-44.
- Van Geel, M., Ceustermans, A., Van Hemelrijck, W., Lievens, B., and Honnay, O. (2015). Decrease in diversity and changes in community composition of arbuscular mycorrhizal fungi in roots of apple trees with increasing orchard management intensity across a regional scale. *Molecular Ecology* 24, 941-952.
- Vänninen, I., Tyni-Juslin, J., and Hokkanen, H. (2000). Persistence of augmented *Metarhizium anisopliae* and *Beauveria bassiana* in Finnish agricultural soils. *BioControl* 45, 201-222.

- Vasumathi, S., Eraivan Arutkani Aiyathan, K., and Nakkeeran, S. (2017). Biodiversity and molecular characterization of *Trichoderma* spp. and exploring its synergistic action for the management of cucumber damping off incited by *Pythium aphanidermatum*. *Journal of Pure and Applied Microbiology* 11, 487-497.
- Velmourougane, K., Prasanna, R., Singh, S., Chawla, G., Kumar, A., and Saxena, A.K. (2017). Modulating rhizosphere colonisation, plant growth, soil nutrient availability and plant defense enzyme activity through *Trichoderma viride*-*Azotobacter chroococcum* biofilm inoculation in chickpea. *Plant and Soil*, 93, doi: 10.1007/s11104-017-3445-0.
- Vinale, F., Nicoletti, R., Borrelli, F., Mangoni, A., Parisi, O.A., Marra, R., Lombardi, N., Lacatena, F., Grauso, L., Finizio, S., Lorito, M., and Woo, S.L. (2017a). Co-culture of plant beneficial microbes as source of bioactive metabolites. *Scientific Reports* 7, 14330.
- Vinale, F., Nicoletti, R., Lacatena, F., Marra, R., Sacco, A., Lombardi, N., d'Errico, G., Digilio, M.C., Lorito, M., and Woo, S.L. (2017b). Secondary metabolites from the endophytic fungus *Talaromyces pinophilus*. *Natural Product Research* 31, 1778-1785.
- Volossiuk, T., Robb, E.J., and Nazar, R.N. (1995). Direct DNA extraction for PCR-mediated assays of soil organisms. *Applied and Environmental Microbiology* 61, 3972–3976.
- Vongphachanh, P., Saksirirat, W., and Seapaisan, S. (2016). Biological control of sheath diseases of rice caused by *Rhizoctonia oryzae* and *Rhizoctonia solani* by *Trichoderma* spp. *Journal of Pure and Applied Microbiology* 10, 1735-1744.

- Wang, C., Zheng, M., Song, W., Wen, S., Wang, B., Zhu, C., and Shen, R. (2017). Impact of 25 years of inorganic fertilization on diazotrophic abundance and community structure in an acidic soil in southern China. *Soil Biology and Biochemistry* 113, 240-249.
- Wang ,H., Han, L., Feng, J., and Zhang, X. (2015). Evaluation of two *Streptomyces* spp. and compost for growth promotion and biocontrol potential against *Rhizoctonia solani* on pepper. *Biocontrol Science and Technology* 25, 852-857.
- Weller, D.M., and Cook, R.J. (1986). Increased growth of wheat by seed treatments with fluorescent pseudomonads, and implications of *Pythium* control. *Canadian Journal of Plant Pathology* 8, 328-334.
- Weste, G., and Marks, G.C. (1987). The biology of *Phytophthora-cinnamomi* in Australasian forests. *Annual Review of Phytopathology* 25, 207–229.
- White Jr, J.F., and Torres, M.S. (2010). Is plant endophyte-mediated defensive mutualism the result of oxidative stress protection? *Physiologia Plantarum* 138, 440-446.
- White, T.J., Bruns, T., Lee, S., and Taylor, J. (1990). Amplification and direct sequencing of fungal ribosomal RNA genes for phylogenetics. In: Innis, M.A., D.H. Gelfand, J.J. Sninsky and T.J. White (eds), PCR protocols: A Guide to Methods and Applications. New York, USA, Academic Press, pp. 315-322.
- Willekens, K., Vandecasteele, B., Buchan, D., and De Neve, S. (2014). Soil quality is positively affected by reduced tillage and compost in an intensive vegetable cropping system. *Applied Soil Ecology* 82, 61-71.
- Win, J., Chaparro-Garcia, A., Belhaj, K., Saunders, D.G.O., Yoshida, K., Dong, S., Schornack, S., Zipfel, C., Robatzek, S., Hogenhout, S.A., and Kamoun, S.

- (2012). Effector biology of plant-associated organisms: Concepts and perspectives. In, Cold Spring Harbor Symposia on Quantitative Biology. pp. 235-247.
- Wittwer, S.H., and Honma, S. (1979). *Greenhouse Tomatoes, Lettuce and Cucumbers*. Michigan State University Press.
- Wu, T., Milner, H., Díaz-Pérez, J.C., and Ji, P. (2015). Effects of soil management practices on soil microbial communities and development of southern blight in vegetable production. *Applied Soil Ecology* 91, 58-62.
- Xian, L., Wang, F., Luo, X., Feng, Y.L., and Feng, J.X. (2015). Purification and characterization of a highly efficient calcium-independent  $\alpha$ -amylase from *Talaromyces pinophilus* 1-95. *PLoS ONE* 10, e0121531.
- Yaish, M.W., and Kumar, P.P. (2015). Salt tolerance research in date palm tree (*Phoenix dactylifera* L.), past, present, and future perspectives. *Frontiers in Plant Science* 6, 348.
- Yee, T.L., Tajuddin, R., Mohamed Nor, N.M.I., Mohd, M.H., and Zakaria, L. (2016). Filamentous ascomycete and basidiomycete fungi from beach sand. *Rendiconti Lincei* 27, 603-607.
- Yu, C., Fan, L., Wu, Q., Fu, K., Gao, S., Wang, M., Gao, J., Li, Y., and Chen, J. (2014). Biological role of *Trichoderma harzianum*-derived Platelet-Activating Factor Acetylhydrolase (PAF-AH) on stress response and antagonism. *PLoS ONE* 9, e100367.
- Yuan, Y., Feng, H., Wang, L., Li, Z., Shi, Y., Zhao, L., Feng, Z., and Zhu, H. (2017). Potential of endophytic fungi isolated from cotton roots for biological control against verticillium wilt disease. *PLoS ONE* 12, e170557.

- Yurnaliza, R., Aryantha, I.N.P., R.Esyanti, R., and Susanto, A. (2014). Antagonistic activity assessment of fungal endophytes from oil palm tissues against *Ganoderma boninense* Pat. *Plant Pathology Journal* 13, 257 - 267.
- Zadworny, M., Werner, A., and Idzikowska, K. (2004). Behaviour of the hyphae of *Laccaria laccata* in the presence of *Trichoderma harzianum* in vitro. *Mycorrhiza* 14, 401-405.
- Zhang, G., Sachse, M., Prevost, M.C., Luallen, R.J., Troemel, E.R., and Félix, M.A. (2016). A Large Collection of Novel Nematode-Infecting Microsporidia and Their Diverse Interactions with *Caenorhabditis elegans* and Other Related Nematodes. *PLoS Pathogens* 12, e1006093.
- Zhang, H., Schroder, L.L., Pittman, J.J., Wang, J.J., and Payton, M.E. (2005). Soil salinity using saturated paste and 1:1 soil and water extracts. *Soil Science Society of America Journal* 69, 1146-1151.
- Zhang, Q.C., Shamsi, I.H., Xu, D.T., Wang, G.H., Lin, X.Y., Jilani, G., Hussain, N., and Chaudhry, A.N. (2012). Chemical fertilizer and organic manure inputs in soil exhibit a vice versa pattern of microbial community structure. *Applied Soil Ecology* 57, 1-8.
- Zhang, Q.X., Zhang, Y., Shan, H.H., Tong, Y.H., Chen, X.J., and Liu, F.Q. (2017). Isolation and identification of antifungal peptides from *Bacillus amyloliquefaciens* W10. *Environmental Science and Pollution Research*, 24, 25000-25009.
- Zhang, W., Han, D.Y., Dick, W.A., Davis, K.R., and Hoitink, H.A.J. (1998). Compost and compost water extract-induced systemic acquired resistance in cucumber and Arabidopsis. *Phytopathology* 88, 450-455.

- Zhang, X., Cao, Y., Tian, Y., and Li, J. (2014a). Short-term compost application increases rhizosphere soil carbon mineralization and stimulates root growth in long-term continuously cropped cucumber. *Scientia Horticulturae* 175, 269-277.
- Zhang, X., Shi, Y., Wang, X., Zhang, W., and Lou, K. (2010). Isolation, identification and insecticidal activity of endophyte from *Achnatherum inebrians*. *Wei sheng wu xue bao = Acta microbiologica Sinica* 50, 530-536.
- Zhang, X., Zhong, Y., Yang, S., Zhang, W., Xu, M., Ma, A., Zhuang, G., Chen, G., and Liu, W. (2014b). Diversity and dynamics of the microbial community on decomposing wheat straw during mushroom compost production. *Bioresource Technology* 170, 183-195.
- Zhao, Y., Gao, Z., Tian, B., Bi, K., Chen, T., Liu, H., Xie, J., Cheng, J., Fu, Y., and Jiang, D. (2017). Endosphere microbiome comparison between symptomatic and asymptomatic roots of *Brassica napus* infected with *Plasmodiophora brassicae*. *PLoS ONE* 12, e0185907.